


SPECIFICATION


Part No.: NST-T8-09WL06

Features

- No UV or IR light radiation.
- Easy Installation
- Long lifetime: 50000 hours
- Color Temperature: 2700-6500K
- AC100~240 V input.
- Working Voltage: DC30-36V (Isolated Driver)
DC70-80V (Non-Isolated Driver)
- LED type: 2835SMD
- 3 Years Warranty
- CE, RoHS Certified



Light distribution curve



Height / Lux

Diameter



A: 600MM, B: 26MM, C: 13MM

SPECIFICATION

Technical Specifications

| | | | |
|---------------------|-----------------------|---------------------|--------------|
| Power | 9W | Length | 0.6m |
| Lumens | 600lm | CRI | >80 |
| Fixture efficiency | >0.92 | Frequency Range | 50-60Hz |
| Power Factor | >0.95 | Beam Angle | 120° |
| Light Source | 2835SMD | LEDs Quantity | 48pcs 2835 |
| Storage Temperature | -25°C ~ +65°C | Working Temperature | -30°C ~+50°C |
| Body& Lampshade | Aluminum Alloy And PC | IP Grade | IP41 |

Application

- Home and office lighting.
- Hotel lighting.
- Super market lighting
- Warehouse lighting
- Airport lighting
- Factory lighting
- Classroom lighting
- Other light sources



SPECIFICATION

